

Methadone Use in Palliative Care

August 8, 2019

Egidio Del Fabbro, MD

Further Reading

[McLean S, Twomey F. Methods of Rotation from Another Strong Opioid to Methadone for the Management of Cancer Pain: A Systematic Review of the Available Evidence. J Pain Symptom Manage. 2015 Aug;50\(2\):248-59.e1.](#)

Full text: [https://www.jpainjournal.com/article/S0885-3924\(15\)00175-X/fulltext](https://www.jpainjournal.com/article/S0885-3924(15)00175-X/fulltext)

[Bruera E, et al. Methadone versus morphine as a first-line strong opioid for cancer pain: a randomized, double-blind study. J Clin Oncol. 2004 Jan 1;22\(1\):185-92.](#)

Full text: <https://ascopubs.org/doi/abs/10.1200/JCO.2004.03.172>

[Mercadante S, Bruera E. Methadone as a First-Line Opioid in Cancer Pain Management: A Systematic Review. J Pain Symptom Manage. 2018 Mar;55\(3\):998-1003. doi: 10.1016/j.jpainsymman.2017.10.017.](#)

Full text: <https://www.sciencedirect.com/science/article/pii/S0885392417305973?via%3Dihub>

[Madden K, et al. QTc Interval Prolongation in Pediatric and Young Adult Patients on Methadone for Cancer Related Pain. J Pain Symptom Manage. 2019 Jun 11. pii: S0885-3924\(19\)30303-3. doi: 10.1016/j.jpainsymman.2019.05.021. \[Epub ahead of print\]](#)

Full text: <https://www.sciencedirect.com/science/article/pii/S0885392419303033?via%3Dihub>

[McPherson, et al. Safe and Appropriate Use of Methadone in Hospice and Palliative Care: Expert Consensus White Paper. J Pain Symptom Manage. 2019 Mar;57\(3\):635-645.e4. doi: 10.1016/j.jpainsymman.2018.12.001.](#)

Full text: <https://linkinghub.elsevier.com/retrieve/pii/S088539241831114X>